



October 22, 2024

Abe Adams
Saint Lawrence - Lewis Boces
3606 State Highway 58
Gouverneur, NY 13642

RE: Project: NORTHWEST TECHNICAL 10/8
Pace Project No.: 70316975

Dear Abe Adams:

Enclosed are the analytical results for sample(s) received by the laboratory on October 09, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Michelle Cohen".

Michelle Cohen
michelle.cohen@pacelabs.com
516-370-6000
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8
Pace Project No.: 70316975

Sample: NWT 1		Lab ID: 70316975001		Collected: 10/08/24 06:10		Received: 10/09/24 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Preparation Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.3	ug/L	1.0	1	10/18/24 08:02	10/18/24 15:28	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8
Pace Project No.: 70316975

Sample: NWT 2		Lab ID: 70316975002		Collected: 10/08/24 06:11		Received: 10/09/24 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.9	ug/L	1.0	1		10/18/24 11:06	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

Sample: NWT 3		Lab ID: 70316975003		Collected: 10/08/24 06:11		Received: 10/09/24 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		10/18/24 11:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

Sample: NWT 4		Lab ID: 70316975004		Collected: 10/08/24 06:12		Received: 10/09/24 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.9	ug/L	1.0	1		10/18/24 11:21	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

Sample: NWT 5		Lab ID: 70316975005		Collected: 10/08/24 06:12		Received: 10/09/24 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		10/18/24 11:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8
Pace Project No.: 70316975

Sample: NWT 6		Lab ID: 70316975006		Collected: 10/08/24 06:13		Received: 10/09/24 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		10/18/24 11:29	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

Sample: NWT 7		Lab ID: 70316975007		Collected: 10/08/24 06:13		Received: 10/09/24 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		10/18/24 11:30	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

Sample: NWT 8		Lab ID: 70316975008	Collected: 10/08/24 06:16	Received: 10/09/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		10/18/24 11:32	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

Sample: NWT 9		Lab ID: 70316975009	Collected: 10/08/24 06:20	Received: 10/09/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		10/18/24 11:37	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

Sample: NWT 10		Lab ID: 70316975010		Collected: 10/08/24 06:17		Received: 10/09/24 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		10/18/24 11:41	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

Sample: NWT 11		Lab ID: 70316975011		Collected: 10/08/24 06:28		Received: 10/09/24 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		10/18/24 11:45	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

Sample: NWT 12		Lab ID: 70316975012		Collected: 10/08/24 06:31		Received: 10/09/24 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		10/18/24 11:48	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

QC Batch: 367197

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70316975002, 70316975003

METHOD BLANK: 1916145

Matrix: Water

Associated Lab Samples: 70316975002, 70316975003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	10/18/24 10:22	

LABORATORY CONTROL SAMPLE: 1916146

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.4	101	85-115	

MATRIX SPIKE SAMPLE: 1916148

Parameter	Units	70317489002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	5.5	50	48.2	85	70-130	

MATRIX SPIKE SAMPLE: 1916151

Parameter	Units	70317489003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.3	50	44.9	83	70-130	

SAMPLE DUPLICATE: 1916147

Parameter	Units	70317489002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	5.5	5.5	0	

SAMPLE DUPLICATE: 1916150

Parameter	Units	70317489003 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	3.3	3.3	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

QC Batch: 367198

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70316975004, 70316975005, 70316975006, 70316975007, 70316975008, 70316975009, 70316975010, 70316975011, 70316975012

METHOD BLANK: 1916152

Matrix: Water

Associated Lab Samples: 70316975004, 70316975005, 70316975006, 70316975007, 70316975008, 70316975009, 70316975010, 70316975011, 70316975012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	10/18/24 11:10	

LABORATORY CONTROL SAMPLE: 1916153

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.9	98	85-115	

MATRIX SPIKE SAMPLE: 1916155

Parameter	Units	70316974004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	43.3	86	70-130	

MATRIX SPIKE SAMPLE: 1916157

Parameter	Units	70316975004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.9	50	52.2	101	70-130	

SAMPLE DUPLICATE: 1916154

Parameter	Units	70316974004 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1916156

Parameter	Units	70316975004 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.9	1.9	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

QC Batch: 367196

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70316975001

METHOD BLANK: 1916141

Matrix: Water

Associated Lab Samples: 70316975001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	10/18/24 15:25	

LABORATORY CONTROL SAMPLE: 1916142

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.2	96	85-115	

MATRIX SPIKE SAMPLE: 1916144

Parameter	Units	70316975001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	6.3	50	47.3	82	70-130	

SAMPLE DUPLICATE: 1916143

Parameter	Units	70316975001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	6.3	6.4	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NORTHWEST TECHNICAL 10/8

Pace Project No.: 70316975

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70316975001	NWT 1	EPA 200.8	367196	EPA 200.8	367222
70316975002	NWT 2	EPA 200.8	367197		
70316975003	NWT 3	EPA 200.8	367197		
70316975004	NWT 4	EPA 200.8	367198		
70316975005	NWT 5	EPA 200.8	367198		
70316975006	NWT 6	EPA 200.8	367198		
70316975007	NWT 7	EPA 200.8	367198		
70316975008	NWT 8	EPA 200.8	367198		
70316975009	NWT 9	EPA 200.8	367198		
70316975010	NWT 10	EPA 200.8	367198		
70316975011	NWT 11	EPA 200.8	367198		
70316975012	NWT 12	EPA 200.8	367198		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace[®] Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY Y- Affix Workorder/Login Label Here

W0#: 70316975



70316975

Company Name: St Lawrence BOCES Street Address: Highway 56, Norwood, NY		Contact/Report To: Abe Adams Phone #: 315-267-6966 E-Mail: aadams@slboces.org Cc E-Mail:		Invoice To: Tawni Rickett (40 West main street Canton NY 13617) Invoice E-Mail: trickett@slboces.org Purchase Order # (if applicable): 315-386-4504 ext: 10279 Quote #:		Specify Container Size ** 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) TerraCore, (9) Other Identify Container Preservative Type*** H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other	
Customer Project #: St Lawrence BOCES		County / State origin of sample(s): New York		Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW		Proj. Mgr: Randy Budhu AcctNum / Client ID: Table #: Profile / Template: X Prelog / Bottle Ord. ID:	
Time Zone Collected: [] AK [] PT [] MT [] CT [] ET		Data Deliverables: [] Level II [] Level III [] Level IV [] EQUIS [] Other:		Rush (Pre-approval required): [] 2 Day [] 3 day [] 5 day [] Other Date Results Requested: Standard 10 business day		Lab Use Only Preservation non-conformance identified for sample: Sample Comment:	
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk				200.8 Drinking Water (Pb only)			
Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Time	Composite End Date	Time	Res. CL2
NWT 1	DW	G	10/8/24	6:14			1
NWT 2			10/8/24	6:11			
NWT 3			10/8/24	6:11			
NWT 4			10/8/24	6:12			
NWT 5			10/8/24	6:12			
NWT 6			10/8/24	6:13			
NWT 7			10/8/24	6:13			
NWT 8			10/8/24	6:16			
NWT 9			10/8/24	6:20			
NWT 10			10/8/24	6:17			
Customer Remarks / Special Conditions / Possible Hazards:							
Additional Instructions from Pace*:							
Collected By: Richard Perez Printed Name: Richard Perez Signature:		Thermometer ID: Correction Factor (°C): Obs. Temp. (°C): Corrected Temp. (°C):		Trading Number:			
Date/Time: 10/8/24 1430 Signature:		Date/Time: 10/9/24 4:00 Signature:		Delivered by: [] In-Person [] Courier [] FedEx [] UPS [] Other			
Date/Time: 10/9/24 8:00 Signature:		Date/Time: 10/9/24 8:00 Signature:		Page: 1 of			

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here



Scan QR Code for instructions

[illegible]

Additional Instructions from Page #:		# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)
Date/Time	08/24	1430	Tracking Number:			
Date/Time	10/9	4:20	Delivered by: [] In-Person [] Courier			
Date/Time	10/24	800	[] FedEx [] UPS [] Other			
Date/Time:			Page: of			

Effective Date:

WO#: 70316975

Client Name:

NorfolkCSD

Project #

PM: MC1**Due Date: 10/18/24**Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Parcel ☐ Other**CLIENT: NorfolkCSD**

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ NoPacking Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziplo ☐ None ☒ Other Type of Ice: Wet Blue ☒ NoneThermometer Used: TH211 Correction Factor: +0.3 ☐ Samples on ice, cooling process has begunCooler Temperature(°C): 18.5 Cooler Temperature Corrected(°C): 18.8 Date/Time 5035A kits placed in freezer _____

Temp should be above freezing to 6.0°C

USDA Regulated Soil (☒ N/A, water sample)Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Yes ☒ NoDid samples originate from a foreign source including Hawaii and Puerto Rico)? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: AEB 10/9/24

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Note: if sediment is visible in the dissolved container.
Sample Labels match COC:	<input type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix:	SL <input checked="" type="checkbox"/> WT <input type="checkbox"/> OIL <input type="checkbox"/> OTHER	

Date and Initials of person checking preservation: AEB 10/9/24

All containers needing preservation have been	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.	<input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>205324</u>		Sample #	
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH>12 Cyanide)		Initial when completed:	Lot # of added preservative:
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).		Date/Time preservative added:	
Per Method, VOA pH is checked after analysis		14.	
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Positive for Res. Chlorine?	Y N
KI starch test strips Lot #		15.	
Residual chlorine strips Lot #		Positive for Sulfide?	Y N
SM 4500 CN samples checked for sul <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		16.	
Lead Acetate Strips Lot #		17.	
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____

Date/Time: _____

Comments/ Resolution: _____

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.